

011125



BRIGHT WORLD CONCEPT PTY LTD.

WOODCRAFT DOORS

...Naturally



hello
PLEASE SCAN ME



AUSTRALIAN OWNED & OPERATED


Solid Engineered Timber Doors

The Elegant Perfection of Solid Doors



Where Quality Meets Style

W
O
O
D
C
R
A
F
T

D
O
O
R
S



OAK



S
T
C
L
A
I
R

D
O
O
R
S

External/Internal/Solid Joinery Doors - Solidcore Flush Doors - Solid Wardrobe Doors
Triple Glazed Leadlight/Goldlight - Slump Glass, Double Glazing, Clear Safety Glass -
Clear Bevelled Safe - Frosted Bevelled Safe - Gluechip Bevelled - Frosted Safe, Delta, Rain, Diamond,
Wave, Low E & Various Type of Glazing - Magnetic Double Glazed Venetian Blinds
Door Jambes - Mullions - Skirting - Architraves - Stair Components - D A R - Other Timber Products
Available in Solid Engineered & Solid Timber Doors

Ethically Sourced For Peace of Mind

For Sales and Products Enquiries:

Please Ring (02) 95539322 Email : sales@woodcraftdoors.com.au

SOLID ENGINEERED OAK DOORS

AMERICAN WHITE OAK TIMBER OVERLAY



BOSD 01



BOSD 02



BOSD 03



BOSD 5 LITE
+ FROST SAFETY



BOSD 05 5P



BOSD 05 6P



BOSD 06



BOSD 07




BOSD 08



BOSD 09
+ FROST SAFETY



BOSD 10
+ CLEAR SAFETY



BOSD 11



BOSD 12



BOSD 15
+ FROST SAFETY



BOSD 17
+ FROST SAFETY



COLONIAL P



COLONIAL GL
+ FROST SAFETY



SHLO 01

ALSO AVAILABLE IN CLEAR SAFETY GLASS, FROST SAFETY GLASS,
CLEAR BEVELLED GLASS AND DESIGNER GLASS



DIAMOND



RAIN



DELTA



DELTA FROST



CRYSTAL LEAF

Door sizes range from 820mm - 1200mm in width and 2040mm - 2400mm in height, please enquire.

SOLID ENGINEERED OAK DOORS
AMERICAN WHITE OAK TIMBER OVERLAY
TRIPLE GLAZED LEADLIGHT AND WROUGHT IRON



BOSD 17+TG23 CBB



BOSD 17+TG39 GCFB



**BOSD 17+TG COVINGTON
 WROUGHT IRON**



**COLONIAL
 +TG FEDERATION ROSE**



BOSD 15+TG9 CB



**BOSD 15
 +TG SINGLE KOOKABURRA**



BOSD 15+TG GUM LEAF



COLONIAL+TG ANTIQUE ROSE

OAK WOODEN HANDLE



HD 01



HD 02



HD 03

Door sizes range from 820mm - 1200mm in width and 2040mm - 2400mm in height, please enquire.

TRIPLE GLAZED LEADLIGHT SOLID DOORS

MAPLE TIMBER OVERLAY

DESIGNER DOORS FOR THE CONTEMPORARY



F45 GL1 + TG65 + TG67 & 2x F45 S/L + TG67 (Black/Gold Leadlight)



F45 + DELTA

DESIGNER GLASS



F45 + DIAMOND & F45P S/L



F8 3P & 2x F8 3G S/L + RAIN GLASS



F8 3G & 2x F8 3P S/L



F45 GL1 & F45 GL1 S/L + WAVE



F8 4P & 2x F8 4G S/L + DELTA



F8 4G & 2x F8 4P S/L

Door sizes range from 820mm - 1200mm in width and 2040mm - 2400mm in height, please enquire.

TRIPLE GLAZED LEADLIGHT SOLID DOORS

MAPLE TIMBER OVERLAY



SD45+TG CLAMICAL
GOLDLIGHT



SD45+TG CLASSICAL



SD45+TG01



SD45+TG FLOWER
(Frost Engraved)



SD45 P

MAGNETIC DOUBLE GLAZED VENETIAN BLIND SOLID DOORS

MAPLE TIMBER OVERLAY



ONE LITE HM+
VENETIAN BLINDS



HALF LITE HM+
VENETIAN BLINDS



F1 GL HM+
VENETIAN BLINDS

Magnetic Operated
Venetian Blinds are
Vacuum Sealed
between Double
Tempered Glass
as Standard

Benefits Include

- Perfect for offices
- No dusting
- No cleaning
- No exposed cords
- No more curtains
- No more maintenance
- No more swinging blinds
- Reduced heat
- Reduced noise
- Low E glass
- Easy to operate
- Durable

Venetian Blind



Ideal For :


Multi / Bifold Doors, Back Doors, Laundry Doors,
Office Doors & Wherever Privacy may be Needed

Door sizes range from 820mm - 1200mm in width and 2040mm - 2400mm in height, please enquire.


TRIPLE GLAZED GOLDLIGHT SOLID DOORS (GOLD FRAME) MAPLE TIMBER OVERLAY

Some designs may also be available
in Triple Glazed Leadlight (Black)

AAA
BBB
CCC
DDD
EEE
FFF
GGG
HHH
III
JJJ
KKK
LLL
MMM
NNN
OOO
PPP
QQQ
RRR
SSS
TTT
UUU
VVV
WWW
XXX
YYY
ZZZ



TR3 HILITE HM+TG9 BBTR3




TR3 HILITE HM+TG9 YBTR3

CASS HM+TG9 BBCASS &
2x CASS S/L HM+TG9 BBCASSL
(Blue Bevelled Mirror)

LACE HM CB &
2x CASS S/L HM CB+TG12 YB
(Gold Bevelled Mirror)



CASS HM+TG6 YB
(Gold Bevelled Mirror)



CASS HM+TG6 CB
(Crystal Leaf Bevelled)



CASS HM+TG10 GRB
(Green Bevelled Mirror)



CASS HM+TG10 BB
(Blue Bevelled Mirror)



CASS HM+TG10 CB
(Crystal Leaf Bevelled)



CASS HM+TG9 CB
(Crystal Leaf Bevelled)




CASS HM+TG9 YB
(Gold Bevelled Mirror)



CASS HM+TG9 GRB
(Green Bevelled Mirror)



CASS HM+TG60



CASS HM+TG62
(Green Bevelled Mirror)



CASS HM+TG11 CB
(Crystal Leaf Bevelled)



CASS HM+TG59
(Available in White
Bright Chrome)



CASS HM+TG8 GRB
(Green Bevelled Mirror)



CASS HM+TG65



CASS HM+TG56



CASS HM+TG7 CG



CASS HM+TG28
(Crystal Leaf Bevelled)



CASS HM+TG12 BB
(Blue Bevelled Mirror)



CASS HM+TG TIFFANY YB
(Gold Bevelled Mirror)



CASS HM+TG TIFFANY CB
(Clear Bevelled)



CASS HM+TG5 CB
(Crystal Leaf Bevelled)



CASS HM+
TG ANTIQUE ROSE



CASS HM+TGR02
(Clear Bevelled Mirror)



CASS HM+TG12 YB
(Gold Bevelled Mirror)

Door sizes range from 820mm - 1200mm in width and 2040mm - 2400mm in height, please enquire.



TRIPLE GLAZED GOLDLIGHT SOLID DOORS (GOLD FRAME) MAPLE TIMBER OVERLAY

Some designs may also be available
in Triple Glazed Leadlight (Black)




TR3 HILITE HM + TG9 GRBTR3



HAMLETT+TG8 GRBHAML & 2x CASS S/L+TG8 GRBCASSL
(Green Bevelled Mirror)



HAMLETT+TG6 YB
(Gold Bevelled Mirror)



HAMLETT+TG6 CB
(Crystal Leaf Bevelled)



HAMLETT+TG10 GRB
(Green Bevelled Mirror)



HAMLETT+TG10 BB
(Blue Bevelled Mirror)



HAMLETT+TG10 CB
(Crystal Leaf Bevelled)



HAMLETT+TG9 CB
(Crystal Leaf Bevelled)




HAMLETT+TG9 BB
(Blue Bevelled Mirror)



HAMLETT+TG9 YB
(Gold Bevelled Mirror)



HAMLETT+TG9 GRB
(Green Bevelled Mirror)



HAMLETT+TG60



HAMLETT+TG62
(Green Bevelled Mirror)



HAMLETT+TG11 CB
(Crystal Leaf Bevelled)



HAMLETT+TG59
(Available in
White Bright Chrome)



HAMLETT+TG65



HAMLETT+TG56



HAMLETT+TG7 CG



HAMLETT+TG28
(Crystal Leaf Bevelled)



HAMLETT+TG12 BB
(Blue Bevelled Mirror)



HAMLETT+TG12 YB
(Gold Bevelled Mirror)




HAMLETT+TG TIFFANY YB
(Gold Bevelled Mirror)



HAMLETT+TG TIFFANY CB
(Clear Bevelled)



HAMLETT+TG5 CB
(Crystal Leaf Bevelled)



HAMLETT+
TG ANTIQUE ROSE




HAMLETT+TGR02
(Clear Bevelled)

AVAILABILITY OF DOORS

Door sizes range from 820mm - 1200mm in width and 2040mm - 2400mm in height, please enquire.

TRIPLE GLAZED GOLDLIGHT SOLID DOORS (GOLD FRAME) MAPLE TIMBER OVERLAY



OLIVIA 2 HM+TG15 YBOLI2 &
2x REGENT S/L HM+TG15 YBREGS &
TR2 HILITE+TG9 YBTR2
(Gold Bevelled Mirror)




OLIVIA 2 HM+TG15 BBOLI2 &
2x REGENT S/L HM+TG15 BBREGS &
TR3 HILITE HM+TG9 BBTR3
(Blue Bevelled Mirror)




OLIVIA 2 HM+TG15 GRBOLI2 &
2x REGENT S/L HM+TG15 GRBREGS &
TR2 HILITE+TG9 GRBTR2
(Green Bevelled Mirror)




OLIVIA 2 HM+TG61



OLIVIA 2 HM+TG15 CBOLI2 &
2x REGENT S/L HM+TG15 CBREGS &
TR3 HILITE HM+TG9 CBTR3
(Crystal Leaf Bevelled)




OLIVIA 2 HM+TGRO1 CBOLI2 &
2x REGENT S/L HM+TGRO1 CBREGS &
TR3 HILITE HM+TG9 CBTR3
(Crystal Leaf Bevelled)




OLIVIA 2 HM+TG15 CBOLI2 &
2x REGENT S/L HM+TG16 CBREGS &
TR3 HILITE HM+TG9 CBTR3
(Crystal Leaf Bevelled)



OLIVIA 2 HM+TG63
& TR4 HILITE HM
+TG1 GRB



OLIVIA 2 HM+TGRO1 YBOLI2 &
2x REGENT S/L HM+TGRO1 YBREGS &
TR2 HILITE+TG9 YBTR2
(Gold Bevelled)



OLIVIA 2 HM+TGRO1 BBOLI2 &
2x REGENT S/L HM+TGRO1 BBREGS &
TR3 HILITE HM+TG9 BBTR3
(Blue Bevelled)



OLIVIA 2 HM+TGRO1 GRBOLI2 &
2x REGENT S/L HM+TGRO1 GRBREGS &
TR2 HILITE+TG9 GRBTR2
(Green Bevelled)




OLIVIA 2 HM+TG66

AVAILABLE AS SINGLE DOORS OR AS COMBINATION SETS


Some designs may also be available in Triple Glazed Leadlight (Black)
Door sizes range from 820mm - 1200mm in width and 2040mm - 2400mm in height, please enquire.

TRIPLE GLAZED GOLDLIGHT SOLID DOORS (GOLD FRAME) MAPLE TIMBER OVERLAY

W
O
O
D
C
R
A
F
T
D
O
O
R
S



OLIVIA 2 HM+TG CLAMICAL &
2x REGENT S/L HM+TG15 YBREGS &
TR2 HILITE+TG9 YBTR2
(Gold Bevelled Mirror)



OLIVIA 2 HM+TG15 YBOLI2 &
2x REGENT S/L HM+TG13 YBREGS &
TR3 HILITE HM+TG9 YBTR3
(Gold Bevelled Mirror)



F11+TG55 MCB & 2x F11 S/L+TG55 MCB
(Multi Colour Bevelled)



OLIVIA 2 HM+TGRO3 RBOLI2 &
2x REGENT S/L HM+TGRO3 RBREGS
(Rainbow Bevelled Mirror)



OLIVIA 2 HM+TGRO1 CBOLI2 &
2x ONE LITE S/L HM+TGRO2 CBOLIS
(Crystal Leaf & Clear Bevelled)



F11+TG55 FBB & 2x F11 S/L+TG55 FBB
(Frost Bevelled)



F11+TG55 FBB (Frost Bevelled) &
ONE LITE S/L+TG39 GCFB
(Crystal Leaf Bevelled & Frost Bevelled)



F7 GL3
+TG32 F7GL3



F11+TG55 GCB
(Crystal Leaf Bevelled)

Some designs may also be available in Triple Glazed Leadlight (Black)
Door sizes range from 820mm - 1200mm in width and 2040mm - 2400mm in height, please enquire.

CHATEAU COLLECTION

MAPLE TIMBER OVERLAY


CREATE YOUR OWN CUSTOM COMBINATION SET OF DESIGNER GLASS
AVAILABLE IN TRIPLE GLAZED LEADLIGHT, GOLDLIGHT & CHROMELIGHT,
CLEAR BEVELLED SAFETY GLASS, FROST SAFETY GLASS AND DESIGNER GLASS.




XXL05+TG23 CBB
(Triple Glazed Leadlight
& Frost Safety Glass)



XXL06+TG TULIP
(Triple Glazed Chromelight
& Frost Safety Glass)



XXL07+TG COVINGTON
(Triple Glazed Wrought Iron
& Frost Safety Glass)



XXL08



XXL09+TG23 CBB
(Triple Glazed Leadlight
& Frost Safety Glass)



XXL10+TG TULIP
(Triple Glazed Chromelight
& Frost Safety Glass)



XXL11+TG COVINGTON
(Triple Glazed Wrought Iron
& Frost Safety Glass)



XXL12

DESIGNER GLASS



CRYSTAL LEAF



DIAMOND



WAVE



RAIN



DELTA



DELTA FROST

AVAILABLE AS SINGLE DOORS OR AS COMBINATION SETS

Some designs may also be available in Triple Glazed Leadlight (Black)
Door sizes range from 820mm - 1200mm in width and 2040mm - 2400mm in height, please enquire.



WOODCRAFT DOORS

TRIPLE GLAZED GOLDLIGHT SOLID DOORS (GOLD FRAME) MAPLE TIMBER OVERLAY

AVAILABLE
AS
SINGLE
DOORS
OR
AS
COORDINATING
SETS



HAMLETT & 2x CASS S/L+TG9 YB
(Gold Bevelled Mirror)



HAMLETT & 2x CASS S/L+TG9 BB
(Blue Bevelled Mirror)



KENTUCKY 2 HM+TG12 CLBKEN &
2x ROMANTIC S/L HM+TG12 CLBROMS
(Crystal Leaf Bevelled)



KENTUCKY 2 HM
+TG20 DGBKEN
(Dark Grey Bevelled)



KENTUCKY 2 HM+TG21 BBKEN &
2x ROMANTIC S/L HM+TG12 BBROMS
(Blue Bevelled Mirror)




HAMLETT & 2x CASS S/L+TG11 CB
(Crystal Leaf Bevelled)



HERITAGE HM CB & 2x CASS S/L HM CB
+TGRO2 (Clear Bevelled)



KENTUCKY 2 HM
+TG20 CLBKEN
(Crystal Leaf Bevelled)



F10 HM CB+TG39 MCB &
2x FATTMUN S/L HM CB
(Multi Colour Bevelled)



F10 HM CB & 2x ONE LITE HM S/L+TG39 GCFB
(Crystal Leaf & Frost Bevelled)



F10 HM CB & 2x ONE LITE HM S/L
+TG TIFFANY MCB
(Multi Colour Bevelled)



F10 HM CB
+TG23 CBF10
(Crystal Leaf Bevelled)



F12 & 2x ONE LITE S/L+TG39 GCFB
(Crystal Leaf & Frost Bevelled)



F12 & 2x ONE LITE S/L+TG39 MCB
(Multi Colour Bevelled)



F12 & 2x ONE LITE S/L+TG26 GRBF12
(Green Bevelled Mirror)



F12+TGR02 COLIS
(Clear Bevelled)

Some designs may also be available in Triple Glazed Leadlight (Black)
Door sizes range from 820mm - 1200mm in width and 2040mm - 2400mm in height, please enquire.




TRIPLE GLAZED GLASS CONSTRUCTION

Our Triple Glazed Glass consists of 3 panes of glass layered together that offer various benefits such as:

- effective noise reduction
- energy efficiency, and
- superior security

All while also offering beautiful, high-quality designs that can highlight the best features of your home.

Each glass is available in various colours and sizes with many different designs available.




Please enquire with our sales department for further details.

TRIPLE GLAZED LEADLIGHT SOLID DOORS (BLACK FRAME) MAPLE TIMBER OVERLAY



2x REGENT & TR2 HILITE
+TG FLOWER



HERITAGE HM CB &
2x CASS S/L HM CB & TR3 HILITE
HM+TG KOOKABURRA SET




HERITAGE HM CB+TG FED ROSEHER &
2x CASS S/L HM CB+TG FED ROSECASSL
and TR3 HILITE HM+TG FED ROSETR3



CASS HM+
TG FED ROSECASS
& TR5 HILITE HM
+TG ROSE



FEDERATION 1 HM CB &
2x CASS S/L HM CB & TR3 HILITE HM
+TG FEDERATION ROSE



FEDERATION 1 HM CB &
2x CASS S/L HM CB & TR3 HILITE HM
+TG ANTIQUE ROSE
(Colour Bevelled)



FEDERATION 1 HM CB &
2x CASS S/L HM CB+TG WARATAH
& TR3 HILITE HM+TG FED ROSE



F4 HM & TR5
HILITE HM+TG
ANTIQUEROSE
(Colour Bevelled)

Door sizes range from 820mm - 1200mm in width and 2040mm - 2400mm in height, please enquire.




WOODCRAFT DOORS


AVAILABLERASINGLEDOORSORCOMBINATIONSETS

**TRIPLE GLAZED LEADLIGHT SOLID DOORS (BLACK FRAME)
MAPLE TIMBER OVERLAY**


ARCHITECTURAL
SPECIALISTS
WOOD
DOORS
OR
AS
CORPORATION
NO
SPECIALISTS



CASS HM+TG9 CBCASSB & 2x CASS S/L HM+TG9 CBCASSLB & TR3 HILITE HM+TG9 CBTR3B (Crystal Leaf Bevelled)



CASS HM CB & 2x CASS S/L HM CB & TR3 HILITE HM+TG SIX BEVEL (Crystal Leaf Bevelled)



CASS HM & 2x CASS S/L HM & TR3 HILITE HM+TG LONG BEVEL (Crystal Leaf Bevelled)



CASS HM CB +TG JEWEL & TR4 HILITE HM+TG3 CBB (Crystal Leaf Bevelled)



LACE HM CB & 2x CASS S/L HM CB +TG SINGLE KOOKABURRA



CASS HM +TG SINGLE KOOKABURRA



CASS HM +TG WARATAH



CASS HM +TG GUM LEAF



CASS HM +TG TEAR DROP (Crystal Leaf Bevelled)




CASS HM+TG DOUBLE CLASSIC (Crystal Leaf Bevelled)




TRADITIONAL HM +TG FED ROSE TRADITIONAL



HERITAGE HM CB +TG KOOKABURRA HERITAGE



HALF LITE HM +TG KOOKABURRA



TWO LITE +TG KOOKABURRA



CAROLINA HM +TG3 CBCARO B (Crystal Leaf Bevelled)



CAROLINA HM +TG1 CBCARO B (Crystal Leaf Bevelled)

Door sizes range from 820mm - 1200mm in width and 2040mm - 2400mm in height, please enquire.

HILITES & TRIPLE GLAZED LEADLIGHT AND GOLDLIGHT MAPLE TIMBER OVERLAY



HAMLETT
+TG KOOKABURRA




HAMLETT
+TG FED ROSE



HAMLETT
+TG9 CB




HAMLETT
+TG9 BB




TR2 HILITE+TG9 YB



TR2 HILITE+TG FLOWER



TR2 HILITE+TG TIVOLI3



TR2 HILITE+TG JEWEL




HAMLETT
+TG9 GRB



HAMLETT
+TG JEWEL



HAMLETT
+TG SIX BEVEL




HAMLETT
+TG GUM LEAF

EXTERNAL DOORS WITH DESIGNER & FROST GLASS MAPLE TIMBER OVERLAY



CAROLINA+HMS01
FROST SAFETY



CAROLINA+HMS02
FROST SAFETY



CAROLINA+HMS03
FROST SAFETY



CAROLINA
+RAIN GLASS



CORY
+RAIN GLASS




DIOR+DIAMOND &
FROST COMBINATION



DIOR & 2x DIOR S/L+FROST, CLEAR
& RAIN GLASS COMBINATION



2x FLO7+FROST SAFETY



DIOR & 2x DIOR S/L+DIAMOND GLASS
& GREEN & RED CATHEDRAL GLASS

Door sizes range from 820mm - 1200mm in width and 2040mm - 2400mm in height, please enquire.




WOODCRAFT DOORS

TRIPLE GLAZED CHROMELIGHT SOLID DOORS MAPLE TIMBER OVERLAY



2x ONE LITE+TG TULIP



2x ONE LITE+TG EXPRESSIONIST

LOW E GLASS

ENERGY EFFICIENT & ENVIRONMENTALLY FRIENDLY



ONE LITE+
LOW E CLEAR
LAMINATED
GLASS



ONE LITE+
LOW E TINTED
LAMINATED
GLASS



TWO LITE+
LOW E CLEAR
LAMINATED
GLASS



TWO LITE+
LOW E TINTED
LAMINATED
GLASS

DOUBLE GLAZED WROUGHT IRON IN SAFETY GLASS MAPLE TIMBER OVERLAY



ONE LITE S/L
+TG COVINGTON
WROUGHT IRON



ONE LITE
+TG COVINGTON
WROUGHT IRON



ONE LITE
+TG XE DESIGN
WROUGHT IRON



ONE LITE
+TG HAMPTON
WROUGHT IRON



HALF LITE
+TG VENICE
WROUGHT IRON

Door sizes range from 820mm - 1200mm in width and 2040mm - 2400mm in height, please enquire.

CONTEMPORARY COLLECTION

MAPLE TIMBER OVERLAY

AVAILABLE IN CLEAR SAFETY GLASS, CLEAR BEVELLED, FROST SAFETY GLASS AND DESIGNER GLASS



F22 HM CB



F18 HM CB



F19 HM CB



F23 HM CB



F19 HM CB &
2x F19 S/L HM CB



F22




F18



F19



F23



KENSINGTON &
KENSINGTON S/L



F7 GL3



F9



F36



F15 GL & FATMUN GL S/L

DESIGNER GLASS



DIAMOND



RAIN



DELTA



DELTA FROST



CRYSTAL LEAF

These doors are available as single doors, double doors or as combination sets with sidelites and so most of them are available with Clear Glass, Safety Glass, Clear Bevelled Glass, Slump Glass, Frost Bevelled Glass, Crystal Leaf/Gluechip Bevelled Glass, Frost Glass, Triple Glazed Goldlight and Leadlight, Double Glazing and other types of glass.

Door sizes range from 820mm - 1200mm in width and 2040mm - 2400mm in height, please enquire.



WOODCRAFT DOORS

AVAILABLE AS SINGLE DOORS OR AS COMBINATION SETS

FRENCH DOORS COLLECTION


MAPLE TIMBER OVERLAY

AVAILABLE IN CLEAR SAFETY GLASS, CLEAR BEVELLED, FROST SAFETY GLASS AND DESIGNER GLASS

AVAILABLE IN CLEAR SAFETY GLASS, CLEAR BEVELLED, FROST SAFETY GLASS AND DESIGNER GLASS



FLASH TWO &
2x HALF FRENCH S/L



FLASH ONE &
2x FLASH ONE S/L



EIGHT LITE &
2x EIGHT LITE S/L




WHITEHOUSE 1



HALF FRENCH &
2x HALF FRENCH S/L



SIX LITE &
2x SIX LITE S/L



DIOR & 2x DIOR S/L



WHITEHOUSE 2



F4 GL HM



F4 GL



HALF LITE HM



F1 GL



WARD M1



WARD M2




KENTUCKY



SOLAR



FEDERATION TWO



TWO LITE



ONE LITE



WARD M4

Door sizes range from 820mm - 1200mm in width and 2040mm - 2400mm in height, please enquire.



FRENCH DOORS COLLECTION

MAPLE TIMBER OVERLAY

AVAILABLE IN CLEAR SAFETY GLASS, CLEAR BEVELLED, FROST SAFETY GLASS AND DESIGNER GLASS



F10 HM CB



F9 HM CB



F23 HM CB



F28 HM CB &
2x F28 S/L HM CB



F29 HM CB &
2x F29 S/L HM CB



F62A+CLEAR
SAFETY



F62B+FROST &
CLEAR SAFETY



F11 & 2x F11 S/L



F33 HM
+DIAMOND



F35
+RAIN GLASS



F9



F29 GL & 2x F29 GL S/L



F28 GL & 2x F28 GL S/L



F8 3GL+WAVE



F8 4GL+DELTA



F26



EIGHT LITE & 2x EIGHT LITE S/L
+DIAMOND



2x F63+CLEAR SAFETY



ONE LITE
+DIAMOND

AVAILABLE AS SINGLE OR AS COMBINATION SETS

Door sizes range from 820mm - 1200mm in width and 2040mm - 2400mm in height, please enquire.



WOODCRAFT DOORS

SOLID EXTERNAL & INTERNAL DOORS

MAPLE TIMBER OVERLAY

AVAILABLE IN CLEAR SAFETY GLASS, CLEAR BEVELLED, FROST SAFETY GLASS AND DESIGNER GLASS

AVAILABLE
AS
SINGLE
DOORS
OR
AS
COMBINATION
SETS



CASS HM & 2x CASS S/L HM
+ RAIN GLASS



CASS HM & 2x CASS S/L HM
+ DIAMOND



HAMLETT & CASS S/L
+ RAIN GLASS



F10 HM CB
+ DELTA



EIGHT LITE & 2x EIGHT LITE S/L
+ DELTA



FLASH ONE & 2x FLASH ONE S/L
+ DELTA



F61A + CLEAR
SAFETY



F61B + CLEAR & FROST
COMBINATION



F7 GL1
+ RAIN GLASS



LAUREN
+ CLEAR SAFETY



KENSINGTON
+ DELTA



SOLAR
+ DIAMOND



F11 + SLG063



FLASH ONE
+ RAIN GLASS



TWELVE LITE
+ CLEAR SAFETY



KENSINGTON
+ RAIN GLASS



F23 HM CB
+ WAVE

Door sizes range from 820mm - 1200mm in width and 2040mm - 2400mm in height, please enquire.



SOLID EXTERNAL & INTERNAL JOINERY DOORS

MAPLE TIMBER OVERLAY



LACE HM CB



LACE HM



EXA HM



FATTMUN HM CB



FATTMUN HM



FL06
PREPRIMED



FL06



F5 CB5



VICTORIAN



F1 2P HM



LACE



EXA



FATTMUN



F8 4P



F1 2P



F5 1P



F6 PANEL



F7 PANEL



F8 4P HM CB



CARRERA P



SHLM 01

AWARD-WINNING DOORS OR A COBBLER'S FEET

Door sizes range from 820mm - 1200mm in width and 2040mm - 2400mm in height, please enquire.



WOODCRAFT DOORS

FEDERATION, VICTORIAN & COLONIAL STYLE HOMES MAPLE TIMBER OVERLAY



FED 03+ CLEAR SAFETY



FED 05+ CLEAR SAFETY



FED 06+ CLEAR SAFETY

ALSO
AVAILABLE IN
FROST SAFETY
OR CLEAR
BEVELLED
GLASS



FED 08 P



FED 07+ CLEAR SAFETY



FED 08 B+ CLEAR SAFETY



FED 08 A+ CLEAR SAFETY



RAIN



DELTA

ALSO IN TRIPLE GLAZED GLASS LEADLIGHT



HERITAGE HM CB+TG FED ROSEHER &
2x CASS S/L HM CB+TG FED ROSECASSL
& TR3 HILITE HM+TG FED ROSETR3



CASS HM+TG FED ROSECASS
& TR5 HILITE HM+TG ROSE



F4 HM & TR5 HILITE HM
+TG ANTIQUE ROSE
(Colour Bevelled)



DELTA FROST




CRYSTAL LEAF



DIAMOND



FEDERATION 1 HM CB+TG FED ROSEHER
& 2x CASS S/L HM CB+TG FED ROSECASSL
& TR3 HILITE HM+TG FED ROSETR3



FEDERATION 1 HM CB &
2x CASS S/L HM CB & TR3 HILITE HM
+TG ANTIQUE ROSE (Colour Bevelled)



FEDERATION 1 HM CB &
2x CASS S/L HM CB+TG WARATAH
& TR3 HILITE HM+TG FED ROSETR3

Door sizes range from 820mm - 1200mm in width and 2040mm - 2400mm in height, please enquire.

BIFOLD & SIDELITE DOORS WITH TRIPLE GLAZED GLASS MAPLE TIMBER OVERLAY

GOLD/BLACK LEADLIGHT, ALSO AVAILABLE IN CLEAR, FROST, AND DESIGNER GLASS

BIFOLD & SIDELITE DOORS OR AS COMBINATION SETS



CASS B/F
+TG SINGLE KOOKABURRA



CASS B/F
+TG GUM LEAF



CASS B/F
+TG DOUBLE CLASSIC



CASS B/F
+TG9 CBB



CASS B/F
+TG JEWEL



CASS B/F
+TG SIX BEVEL



CASS B/F
+TG62 GRB



CASS B/F+TG9 YB
(Gold Bevelled Mirror)



CASS B/F+TG9 BB
(Blue Bevelled Mirror)



CASS B/F+TG28
(Crystal Leaf Bevelled)



CASS B/F+TG11 CB
(Crystal Leaf Bevelled)



CASS B/F+TG59
(Also available in Chromelight)



F4 GL B/F



FLASH ONE B/F



EIGHT LITE B/F



HALF FRENCH B/F



SIX LITE B/F



DIOR B/F



SD17 B/F+
FROST SAFETY



ONE LITE B/F



TWO LITE B/F



FATMUN B/F



LACE B/F



EXA B/F

Most glass can be fitted to Bifold Doors to suit external or internal door designs.

Bifold Doors can also be used as sidelites or as paired hinged doors.


Door sizes range from 820mm - 1200mm in width and 2040mm - 2400mm in height, please enquire.



WOODCRAFT DOORS

**CLASSIC WROUGHT IRON WITH SAFETY GLASS
MAPLE TIMBER OVERLAY**

W
O
O
D
C
R
A
F
T
D
O
O
R
S



CW 01 & CW 01 S/L




CW 02 & CW 02 S/L



CW 03 & CW 03 S/L



CW 04 & CW 04 S/L



CW 05 & CW 05 S/L



CW 06 & CW 06 S/L



CW 07 & CW 07 S/L



CW 08 & CW 08 S/L

Door sizes range from 820mm - 1200mm in width and 2040mm - 2400mm in height, please enquire.



ST CLAIR SOLID DOORS


MAPLE TIMBER OVERLAY

AVAILABLE WITH TRIPLE GLAZED GLASS & DESIGNER GLASS

Triple Glazed Glass Offers:

1. Reduced Heat and Noise Penetration: The product is vacuum sealed giving superior insulation
2. Increased Security: 20mm thick Triple Glazed Glass with toughened external safety glass for superior security
3. Easy to Clean: The smooth outer layers of glass ensures that a simple wipe will leave the glass sparkling


Triple Glazed Glass offers Safety, Beauty, Easy Maintenance and Durability.
It is truly the Superior Glass.



SD02+TG TIFFANY MCB
(Multi Colour Bevelled)




SD03+TG23 CBOLIS
(Crystal Leaf Bevelled)



SD05+TG55 CB
(Gold Leadlight)



SD05+TG55 MCB
(Multi Colour Bevelled)



SD08+TG SIX BEVEL
(Crystal Leaf Bevelled)



SD08+TG GUM LEAF



SD08+TG62



SD02+RAIN GLASS



SD05+DIAMOND



SD08+RAIN GLASS



SD18A+DIAMOND

AVAILABLE AS SINGLE DOORS OR AS COMBINATION SETS

Door sizes range from 820mm - 1200mm in width and 2040mm - 2400mm in height, please enquire.





ST CLAIR SOLID DOORS

MAPLE TIMBER OVERLAY

Solid Timber Blockboard with Maple Timber Overlay available with:
Clear Safety/Clear Bevelled, Frost/Frost Safety/Frost Bevelled (excl. SD01),
Triple Glazed Goldlight/Leadlight, and Designer Glass



SD06
+CLEAR/FROST



SD11
+CLEAR/FROST



SD15
+CLEAR/FROST



SD16
+CLEAR/FROST



SD17
+CLEAR/FROST



SD18
+CLEAR/FROST



SD19
+CLEAR/FROST



SD20
+CLEAR/FROST



SD21
+CLEAR/FROST



SD22
+CLEAR/FROST



SD23
+CLEAR/FROST



SDM01
+CLEAR/FROST



SDM02
+CLEAR/FROST



SDM05
+CLEAR/FROST



F8 4GL
+CLEAR/FROST

Door sizes range from 820mm - 1200mm in width and 2040mm - 2400mm in height, please enquire.






ST CLAIR SOLID DOORS

MAPLE TIMBER OVERLAY

Solid Timber Blockboard with Maple Timber Overlay available with:
Clear Safety/Clear Bevelled, Frost/Frost Safety/Frost Bevelled (excl. SD01),
Triple Glazed Goldlight/Leadlight, and Designer Glass



2x SD01 + CLEAR/FROST



SD01 & SD01 S/L
+ CLEAR/FROST



SD02 & SD02 S/L
+ CLEAR/FROST



2x SD04 + CLEAR/FROST



SD05 & 2x SD05 S/L
+ CLEAR/FROST



SD07
+ CLEAR/FROST



SD08
+ CLEAR/FROST



2x SD09 + CLEAR/FROST



SD36



2x SD12 + CLEAR/FROST



SD17 & 2x SD17 S/L + CLEAR/FROST



SD37



SD75 + CLEAR/FROST

Door sizes range from 820mm - 1200mm in width and 2040mm - 2400mm in height, please enquire.






ST CLAIR SOLID DOORS

MAPLE TIMBER OVERLAY

Solid Timber Blockboard with Maple Timber Overlay available with:
Clear Safety/Clear Bevelled, Frost/Frost Safety/Frost Bevelled (excl. SD01),
Triple Glazed Goldlight/Leadlight, and Designer Glass

READY TO PAINT OR STAIN




SD51




SD52



SD53



SD70



SD75

ALSO AVAILABLE IN DESIGNER GLASS

AS WELL AS AMERICAN WHITE OAK TIMBER OVERLAY



DIAMOND



RAIN



DELTA




DELTA FROST



CRYSTAL LEAF

SOLID OAK DOORS WITH CLEAR UV LACQUER

AMERICAN WHITE OAK TIMBER OVERLAY



UV 01



UV 02



UV 06



UV 07



UV 08

Door sizes range from 820mm - 1200mm in width and 2040mm - 2400mm in height, please enquire.



WARDROBE PANELS & MIRROR - SOLID JOINERY DOORS

MAPLE TIMBER OVERLAY



WARD P1 (Panel)

WARD P2 (Panel)

WARD M1 (Mirror)

WARD M2 (Mirror)

WARD M3 (Mirror)

WARD M4 (Mirror)

WARD 4P

WARD 6P

WARDROBE DOOR SIZES:

2040X520X35
2040X620X35
2040X720X35
2040X820X35
2340X620X35
2640X820X35

INTERIOR & EXTERIOR DOOR SIZES:

2040X620X35 2040X1100X40 2120X1100X40 2400X820X40
2040X720X35 2040X1200X40 2120X1200X40 2400X870X40
2040X820X35 2120X820X35 2400X620X35 2400X920X40
2040X870X35 2120X820X40 2400X720X35 2400X1100X40
2040X770X40 2120X870X40 2400X820X35 2400X1200X40
2040X820X40 2120X920X40

SIDELITE & BIFOLD SIZES:

2040X405X35
2040X520X35
2120X405X40
2120X520X40
2400X405X35
2400X520X35

NOT ALL SIZES AVAILABLE FOR ALL DOORS. PLEASE ENQUIRE WITH OUR SALES DEPARTMENT



CONDITIONS OF WARRANTY

All goods received must be checked immediately (on the spot) and the supplier must be notified immediately if any defects are found. Please check all doors for suitability before starting any work. Woodcraft Doors guarantee that all products are of good material and workmanship, free from any defects, which may render them unserviceable or unfit for the use for which they were manufactured, for two (2) years from shipment.

Any claim under this warranty must be made within two (2) years of the date of purchase of the product. To make a claim under this warranty, take the product (with proof of purchase) to the store where you purchased the product or contact Woodcraft Doors.


This warranty is provided in addition to other rights and remedies you have under law: our goods come with guarantees, which cannot be excluded under the Australian consumer law. You are entitled to replacement or refund for a major failure and to compensation for other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.

Woodcraft Doors agrees to replace at its own option, unfinished and without charge, any doors found to be defective, subject to the terms and conditions as follows:

- Upon delivery and before commencement of work, all goods must be inspected for any defects and claims from this initial inspection must be made within three (3) days of purchase. Woodcraft Doors will not consider any claim for visible defects apparent before installation after the door has been fitted.
- All care has been taken to assure the quality and workmanship of Woodcraft Doors so that they can withstand the Australian climate, but excessive heat and moisture, or a sudden change in climate can cause minor shrinkage, warping (as per Australian Standard AS2688), or a slight movement in the components of some solid doors. These are not to be considered defects or reason for any claim, objection or non-payment.
- All doors are supplied unglazed and unfinished unless specified and needs to be undercoated/sealed/painted/stained immediately after purchase and before installation to help protect them from changes in moisture regardless of whether they are used as internal or external doors.
- At least two coats of undercoat and two coats of oil paint or equivalent grade varnish, sealer or lacquer must be properly applied (as according to manufacturer's instructions) to all faces of the door, including the top and bottom edges and all of the cut outs for locks and hinges, prior to hanging. Undercoat, prime or stain does not count as sealers.
- Prior to hanging, the doors must be stored flat (not directly on concrete) in a dry place, not in a damp or freshly plastered area and protected from direct sun.
- Regular maintenance of the door should be done to prevent the breakdown of the paint or varnish film and to protect the timber from deterioration, at least once every 6-12 months (depending on the surrounding environment).
- If your door receives direct sunlight, it should be finished in light reflective colours. Dark colours may cause shrinkage due to the change of moisture content from heat absorption. Light coloured paint is the most durable finish for harsh conditions. Dark paint or stain will void the warranty.
- Timber is a natural grown product, which has natural variations in the colour, texture and grain patterns of the wood. These are not to be considered defects. Normal "show-through" of frame components in doors is also not to be considered a defect.
- Doors must be hung in weather-protected areas and not be subjected to extremes of humidity, direct water/rain conditions, excessive heat/dryness or sudden changes therein prior to, during and after storage and installation. A weather-protected area is defined as an area that has adequate overhead protection to protect the door from excessive exposure (including doors that open outward). Doors with moisture content below 12% or above 18% will void the warranty. Water damaged doors will void the warranty.
- We recommend that a minimum of 3 hinges be put on standard sized entrance doors and 4 hinges be put on larger doors.
- The manufacturer will not be responsible for any incidental work or expenses as a result of, or because of, bad handling, poor storage, and incorrect fittings, installations or finishes. Any work on the door that compromises its structural integrity or utility (such as excessive cutting, altering the door or fitting hardware) may void the warranty. Please contact us for recommendations as to how much the doors may be modified, before proceeding with any modifications.

Woodcraft Doors will pay your reasonable, direct expenses of claiming under this warranty. You may submit details and proof of your expense claim to Woodcraft Doors for consideration. To expedite the process, complete a warranty claim checklist (upon request), and take photos of the defect(s), the entire door and the position of the door in the house (including a front view of the weather-protected area where the door is). Post the complete form, photos and proof of purchase to Woodcraft Doors at 616 Forest Road, Bexley, NSW, or forward the information by email: sales@woodcraftdoors.com.au for consideration. Please refer to our website: www.woodcraftdoors.com.au for a full description of our terms and warranty.

This warranty is given by:

 Bright World Concept Pty Ltd T/As Woodcraft Doors (ABN 13 152 108 908)
616 Forest Road, Bexley, NSW 2207, Australia
PH: (02) 9553 9322 FAX: (02) 9553 9677

*Woodcraft Doors reserves the right to alter and amend any specifications at any time.

FY2012

sales@woodcraftdoors.com.au

ph. (02) 95539322

IMPORTANT: ALL SIDES & PARTS OF DOORS MUST BE FULLY SEALED PRIOR TO HANGING

STAINLESS STEEL MORTICE LOCKS



MAPLE / MERANTI TIMBER PRODUCTS

SINGLE REBATE DOOR JAMBS



SINGLE REBATE MULLIONS



BELLYNOSE ARCHITRAVE / SKIRTING



COLONIAL ARCHITRAVE / SKIRTING



LOOSE STOP DOOR JAMBS



We stock

Long Length

Door Jambs

Mullions

HALF SPLY



QUADS



GLASS BEADS



DOUBLE REBATE DOOR JAMBS



DOUBLE REBATE MULLIONS



PENCIL ROUND ARCHITRAVE / SKIRTING



DRESS TIMBER (DAR)



MUSHROOM STOPS



STAIR COMPONENTS

BALUSTRADES




NEWEL POST



HANDRAIL

75 x 44mm



BOTTOM RAIL

44mm



For Sales and Products Enquiries:
Please Ring (02) 95539322 or Email: sales@woodcraftdoors.com.au



WOODCRAFT DOORS